2

CLAIM AMENDMENTS

Claim Amendment Summary

Claims pending

- Before this Amendment: Claims 1-72.
- After this Amendment: Claims 1-17, 56-61, and 70.

Non-Elected, Canceled, or Withdrawn claims: 18-55, 62-69, 71, and 72.

Amended claims: 5, 6, and 11.

New claims: none.

Claims:

1. (ORIGINAL) A method for protecting a digital good, the method comprising:

generating a fingerprint, the fingerprint being associated with a watermark; embedding the watermark into a digital good without embedding the fingerprint.

2. (ORIGINAL) A method as recited in claim 1, wherein the generating comprises producing a short fingerprint which is approximately equivalent to the fingerprint and is substantially smaller in scale than the fingerprint.

Serial No.: 09/841,159 Auy Docket No.: MS1-777us RESPONSE TO OFFICE ACTION DATED 11/19/2004

0215051415 G:IMS1-01777unIMS1-777us m01.doc any: Kasoy C. Civistie ٦l

7

8

11

13

18

20

21

22

23

24

25

A method as recited in claim 1, wherein the 3. (ORIGINAL) generating comprises:

producing a pseudorandom watermark carrier that is independent of the watermark;

combining the carrier and the watermark to generate the fingerprint.

(ORIGINAL) A method as recited in claim 1, wherein the 4. generating comprises:

producing a pseudorandom watermark carrier that is independent of the watermark;

amalgamating the carrier and the watermark to generate the fingerprint.

- 5. (CURRENTLY AMENDED) A method as recited in elaim-1 claim 4, wherein the amalgamating comprises deriving the fingerprint from the carrier and the watermark.
- б. (CURRENTLY AMENDED) A method as recited in claim-1 claim 4, wherein the amalgamating comprises combining the carrier and the watermark to generate the fingerprint.
- 7. (ORIGINAL) A method as recited in claim 1, wherein the fingerprint is uniquely associated with the watermark.

2

3

4

5

- 8. (ORIGINAL) A method as recited in claim 1, wherein the fingerprint is at least partially derived from the watermark.
- 9. (ORIGINAL) A method as recited in claim 1, wherein the fingerprint is associated with a detection entity.
- 10. (ORIGINAL) A method as recited in claim 1, wherein the fingerprint is uniquely associated with a detection entity.
- 11. (CURRENTLY AMENDED) A method as recited in claim 1 further comprising:

segmenting the digital good into multiple segments;

repeating the obtaining, generating, and embedding for individual segments of the multiple segments, so that a segment has a segment-associated watermark embedded therein and a segment-associated fingerprint is associated with such segment-associated watermark.

12. (ORIGINAL) A method as recited in claim I, wherein the embedding produces a marked digital good, the method further comprising distributing identical copies of the marked digital good to multiple detection entities, wherein individual fingerprints are associated with one or more detection entities.

2

б

8

10

11

12

- 13. (ORIGINAL) A method as recited in claim 1, wherein the digital good is selected from a group consisting of digitized images, digitized audio, digitized video, digitized multimedia, software applications, and media signals.
- 14. (ORIGINAL) A modulated signal generated in accordance with the acts recited in claim 1, wherein the signal has a minimum collusion resistance that grows linearly with the scale of the signal.
- 15. (ORIGINAL) A modified signal generated in accordance with the acts recited in claim 1, wherein the signal has a minimum collusion resistance that grows with the scale (N) of the signal in the order of magnitude of $O(N \log N)$.
- 16. (ORIGINAL) A computer-readable medium having computerexecutable instructions that, when executed by a computer, performs the method as recited in claim 1.
- 17. (ORIGINAL) A computer comprising one or more computerreadable media having computer-executable instructions that, when executed by the computer, perform the method as recited in claim 1.

Claims 18-55 are CANCELLED

3

4

5

6

7

8

9

10

11

- 56. (ORIGINAL) A system for facilitating the protection of digital goods, the system comprising:
- a key generation entity configured to generate pseudorandom watermarks and fingerprints;
- a marker configured to embedded the watermark into a digital good, wherein the fingerprint is not embedded into the digital good.
- 57. (ORIGINAL) A system as recited in claim 56, wherein the key generation entity is further configured to produce a pseudorandom watermark carrier that is independent of the watermark and combine the carrier and the watermark to generate the fingerprint.
- 58. (ORIGINAL) A system as recited in claim 56, wherein the key generation entity is further configured to produce a pseudorandom watermark carrier that is independent of the watermark and coalesce the carrier and the watermark to generate the fingerprint.
- 59. (ORIGINAL) A system as recited in claim 56, wherein the fingerprint is associated with the watermark.
- 60. (ORIGINAL) A system as recited in claim 56, wherein the fingerprint is associated with a detection entity.

61. (ORIGINAL) A system as recited in claim 56, wherein the digital good is selected from a group consisting of digitized images, digitized audio, digitized video, digitized multimedia, software applications, and media signals

Claims 62-69 are CANCELLED

70. (ORIGINAL) A computer-readable medium having computerexecutable instructions that, when executed by a computer, performs the method comprising:

generating a fingerprint, the fingerprint being associated with a watermark; embedding the watermark into a digital good without embedding the fingerprint.

71. (CANCELLED)

72. (CANCELLED)